

















DS35 to DS41 (Range) **Product Code Environment** Indoor / Outdoor Material Aluminium & MS Mounting Pendant (P) Color Jet Black (02) **Size Options** Ø300 / Ø400


Light Source LED Module 20 W / 30 W Power Lumens 1600 / 2400 **Light Distribution** Direct (D) ON / OFF (S) Control Color Temperature (CCT) 4000K (40)



Presenting the range of "QAFASOUL"

Suspended Acrylic light fixture with light weight aluminium rod housing.

Engineered to perfection, no welds and easy assembly





No welding Do it yourself Easy assembly & easy storage

OPTIONS AVAILABLE

MOUNTING [X]

P - Pendant

D - Direct

CCT [##]

D - Direct

CCT [##]

27 - 2700K

30 - 3000K


40 - 4000K

A - ANALOG


65 - 6500K

- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

www.lunnark.com LunnArk Luminaires



Acrylic support & Bend rod assembly (Bottom ring)



Bend rod fixing (Top ring)



Light source placement / replacement

The "QAFASOUL" range are iconic luminaires suitable for both indoor and outdoor applications with IP65 rating. Easy to assemble and disassemble, the "product" range has 7 different designs to pick from. The aluminium bend rods and MS rings makes it a light-weight and well-engineered product.





www.lunnark.com LunnArk Luminaires



- All Images shown are for illustration purpose only and may not be an exact representation of the product.
- Customization is possible only if the light model permits.
- Luminaire design, size and color shall be adapted based on order requirement.

VTECH BIOTRON PVT LTD #84, ANUSUYA ASHRAMA, 3RD MAIN, MAGADI MAIN ROAD RAJAJINAGAR INDUSTRIAL TOWN - BENGALURU 560044 INDIA

080 23507469 www.lunnark.com
TOLLFREE: 1800 890 2146 info@vtechbiotron.com