




LunnArk (P)
Light innovations at its best

Magnetic  **Series**

INDEX

Magnetic Channels :

1

2

3

Magnetic Jointer :

4

5

Track Lights Attachments :

6

7

LDA & Movable LDA Attachments :

8

9

Linea & Wallwasher Attachments :- :

10

11

Surface & Suspended Attachments :

12

13

Decorative Attachments :

12

13

Dali Controller :

14

15

Magnetic Channels Installation :

16

17

18

Magnetic Channels

Trimless 1

Trimless 1



Recessed

Surface 1



Surface 2

Pendent

Pendent



Magnetic Channel 15mm / 26mm / 28mm



Dimension (mm)

Length (mm)

Product Code



23x51

1000

1500

2000

LMS-MT-15-SUS-2351



Dimension (mm)

Length (mm)

Product Code



60x51

1000

1500

2000

LMS-MT-15-TL-6051



Dimension (mm)

Length (mm)

Product Code



26x22

1000

1500

2000

LMS-MT-26-S-2622



Dimension (mm)

Length (mm)

Product Code



26x53

1000

1500

2000

LMS-MT-26-SUS-2653



Dimension (mm)

Length (mm)

Product Code



40x53

1000

1500

2000

LMS-MT-26-C-4053



Dimension (mm)

Length (mm)

Product Code



70x53

1000

1500

2000

LMS-MT-26-TL-7053



Dimension (mm)

Length (mm)

Product Code



54

1000

1500

2000

LMS-MT-26-RD-54



Dimension (mm)

Length (mm)

Product Code

28x52

1000



1500

2000

LMS-MT-28-S-2852

LMS-MT-28-SUS-2852

PRO



Dimension (mm)

Length (mm)

Product Code

38x52



1000

1500

2000

LMS-MT-28-C-3852

PRO



Dimension (mm)

Length (mm)

Product Code

26 x53

1000


1500

2000

LMS-MT-28-TL-6852

PRO

Magnetic Channel 36mm / 50mm



Dimension (mm)

Length (mm)

Product Code



36x22

1000

1500

2000

LMS-MT-36-S-3632



Dimension (mm)

Length (mm)

Product Code



36x65

1000

1500

2000

LMS-MT-36-SUS-3665



Dimension (mm)

Length (mm)

Product Code



40x65

1000

1500

2000

LMS-MT-36-C-4665



Dimension (mm)

Length (mm)

Product Code



75x65

1000

1500

2000

LMS-MT-36-TL-7565



Dimension (mm)

Length (mm)

Product Code

50x60

1000



1500

2000

LMS-MT-50-S-5060

LMS-MT-50-SUS-5060

PRO



Dimension (mm)

Length (mm)

Product Code

60x60



1000

1500

2000

LMS-MT50-C6060

PRO



Dimension (mm)

Length (mm)

Product Code

90x60

1000

1500

2000

LMS-MT-50-TL-9060

PRO

SPECIFICATION

- Aluminum Extruded Body
- High Efficient IP 67 Master Driver

LED DRIVER DETAIL

- Make:- **OSRAM**

Colors


















T-JOINTER

L-WC-JOINTER



L-WW-JOINTER

Magnetic Jointers

L-WC-JOINTER (Surface)  Dimension (mm) 155 x 155 26mm / 36mm	L-WW-JOINTER (Surface)  Dimension (mm) 157 x 157 26mm / 36mm	T-JOINTER (Surface)  Dimension (mm) 310 x 157 26mm / 36mm	X-JOINTER (Surface)  Dimension (mm) 310 x 310 26mm / 36mm
L-WC-JOINTER (Surface / Pendent)  Dimension (mm) 155 x 155 15mm / 26mm 36mm / Pro	L-WW-JOINTER (Surface / Pendent)  Dimension (mm) 157 x 157 15mm / 26mm 36mm / Pro	T-JOINTER (Surface / Pendent)  Dimension (mm) 310 x 157 15mm / 26mm 36mm / Pro	X-JOINTER (Surface / Pendent)  Dimension (mm) 310 x 310 15mm / 26mm 36mm / Pro
L-WC-JOINTER (Recessed)  Dimension (mm) 155 x 155 26mm / 36mm / Pro	L-WW-JOINTER (Recessed)  Dimension (mm) 157 x 157 26mm / 36mm / Pro	T-JOINTER (Recessed)  Dimension (mm) 310 x 157 26mm / 36mm / Pro	X-JOINTER (Recessed)  Dimension (mm) 310 x 310 26mm / 36mm / Pro
L-WC-JOINTER (Trimless)  Dimension (mm) 155 x 155 15mm / 26mm 36mm / Pro	L-WW-JOINTER (Trimless)  Dimension (mm) 157 x 157 15mm / 26mm 36mm / Pro	T-JOINTER (Trimless)  Dimension (mm) 310 x 157 15mm / 26mm 36mm / Pro	X-JOINTER (Trimless)  Dimension (mm) 310 x 310 15mm / 26mm 36mm / Pro
L-WC-JOINTER (Round)  Dimension (mm) 155 x 155 54mm	L-WW-JOINTER (Round)  Dimension (mm) 157 x 157 54mm	T-JOINTER (Round)  Dimension (mm) 310 x 157 54mm	X-JOINTER (Round)  Dimension (mm) 310 x 310 54mm




Track Light Attachments




Watt	LED	Material	Dimension (mm)	Product Code
12W	COB	Aluminum Extruded	A: 63 x B: 93	LMS-MT-TL-01
18W	COB	Aluminum Extruded	A: 63 x B: 144	LMS-MT-TL-02
18W	COB	Die- Cast Aluminum	A: 68 x B: 155	LMS-MT-TL-03

CCT	Beam Angle	LED Make
3000K	24° / 36°	BRIDGELUX
4000K		OSRAM
5700K		



Watt	LED	Material	Dimension (mm)	Product Code
15W	COB	Aluminum Extruded	A: 40 x B: 180	LMS-MT-TL-04
2x5W	COB	Aluminum Extruded	A: 40 x B: 120	LMS-MT-TL-05





CCT	Beam Angle	LED Make
3000K	12° / 36°	BRIDGELUX
4000K		OSRAM
5700K		



Watt	LED	Material	Dimension (mm)	Product Code
3W	COB	Die- Cast Aluminum	A: 25 x B: 47	LMS-MT-TL-06
8W	COB	Die- Cast Aluminum	A: 35 x B: 74	LMS-MT-TL-06
10W	COB	Die- Cast Aluminum	A: 50 x B: 99	LMS-MT-TL-06

CCT	Beam Angle	LED Make
3000K	20°~50° Lens	BRIDGELUX
4000K		OSRAM
5700K		

Adjustable beam






Watt	LED	Material	Dimension (mm)	Product Code
7W	COB	Aluminum Extruded	A: 35 x B: 80	LMS-MT-TL-07
12W	COB	Aluminum Extruded	A: 45 x B: 100	LMS-MT-TL-07
20W	COB	Aluminum Extruded	A: 55 x B: 120	LMS-MT-TL-07

CCT	Beam Angle	LED Make
3000K	24°	BRIDGELUX
4000K		OSRAM
5700K		







LDA, Movable LDA & Wallwasher Attachments




Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Aluminum Extruded	A: 15 x B: 118	LMS-15MT-LDA
12W	SMD	Aluminum Extruded	A: 15 x B: 232	LMS-15MT-LDA
24W	SMD	Aluminum Extruded	A: 15 x B: 460	LMS-15MT-LDA

CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		



Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Die-Cast Aluminum	A: 15x B: 118	LMS-15MT-MB-LDA
12W	SMD	Die-Cast Aluminum	A: 15 x B: 232	LMS-15MT-MB-LDA



CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		



(Multiple length is also possible)



Watt	LED	Material	Dimension (mm)	Product Code
5W	SMD	Aluminum Extruded	A: 22 x B: 100	LMS-26MT-LDA
10W	SMD	Aluminum Extruded	A: 22 x B: 100	LMS-26MT-LDA

CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		





Watt	LED	Material	Dimension (mm)	Product Code
15W	SMD	Aluminum Extruded	A: 24 x B: 284	LMS-28MT-MINIDAISY

CCT	Beam Angle	LED Make	Optics
3000K		BRIDGELUX OSRAM	LEDiL
4000K			
5700K			



Watt	LED	Material	Dimension (mm)	Product Code
5W / 10W	SMD	Die-Cast Aluminum	A: 25x B: 115	LMS-26MT-MB-LDA
5W / 10W	SMD	Die-Cast Aluminum	A: 25 x B: 115	LMS-28MT-MB-LDA



CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		



(Multiple length is also possible)



Watt	LED	Material	Dimension (mm)	Product Code
5W	SMD	Aluminum Extruded	A: 32 x B: 138	LMS-36MT-LDA
10W	SMD	Aluminum Extruded	A: 32 x B: 138	LMS-36MT-LDA

CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		





Watt	LED	Material	Dimension (mm)	Product Code
8W	SMD	Aluminum Extruded	A: 45 x B: 184	LMS-50MT-DAISY
14W	SMD	Aluminum Extruded	A: 45 x B: 284	LMS-50MT-DAISY
14W/28W	SMD	Aluminum Extruded	A: 45 x B: 564	LMS-50MT-DAISY

CCT	Beam Angle	LED Make	Optics
3000K		BRIDGELUX OSRAM	LEDiL
4000K			
5700K			



Watt	LED	Material	Dimension (mm)	Product Code
5W / 10W	SMD	Die-Cast Aluminum	A: 35 x B: 138	LMS-36MT-MB-LDA
5W / 10W	SMD	Die-Cast Aluminum	A: 35 x B: 138	LMS-50MT-MB-LDA


CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		





(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
5W	SMD	Aluminum Extruded	A: 32 x B: 140	LMS-36MT-XTD-WW
10W	SMD	Aluminum Extruded	A: 32 x B: 140	LMS-36MT-XTD-WW

CCT	Beam Angle	LED Make
3000K		BRIDGELUX OSRAM
4000K		
5700K		





Linea & Wallwasher Attachments





(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
10W	SMD	Aluminum Extruded	A: 15 x B: 300	LMS-15MT-LINEA
20W	SMD	Aluminum Extruded	A: 15 x B: 600	LMS-15MT-LINEA
CCT		Beam Angle	LED Make	
 3000K				
 4000K				
 5700K				
	120°			





Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Die-Cast Aluminum	A: 15x B: 118	LMS-15MT-MB-LINEA
12W	SMD	Die-Cast Aluminum	A: 15 x B: 232	LMS-15MT-MB-LINEA
CCT	Beam Angle	LED Make		
 3000K	 120°			
 4000K				
 5700K				





(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Aluminum Extruded	A: 22 x B: 360	LMS-26MT-LINEA
12W	SMD	Aluminum Extruded	A: 22 x B: 600	
15W	SMD	Aluminum Extruded	A: 22 x B: 840	
20W	SMD	Aluminum Extruded	A: 22 x B: 1080	LMS-28MT-LINEA
24W	SMD	Aluminum Extruded	A: 22 x B: 1200	
CCT		Beam Angle	LED Make	
 3000K	 120°			
 4000K				
 5700K				




(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Aluminum Extruded	A: 32 x B: 360	LMS-36MT-LINEA
12W	SMD	Aluminum Extruded	A: 32 x B: 600	LMS-36MT-LINEA
15W	SMD	Aluminum Extruded	A: 32 x B: 840	LMS-36MT-LINEA
20W	SMD	Aluminum Extruded	A: 32 x B: 1080	LMS-36MT-LINEA
24W	SMD	Aluminum Extruded	A: 32 x B: 1200	LMS-36MT-LINEA
CCT		Beam Angle	LED Make	
3000K		120°	 	
4000K				
5700K				





(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Aluminum Extruded	A: 45 x B: 360	LMS-50MT-LINEA
12W	SMD	Aluminum Extruded	A: 45 x B: 600	LMS-50MT-LINEA
15W	SMD	Aluminum Extruded	A: 45 x B: 840	LMS-50MT-LINEA
20W	SMD	Aluminum Extruded	A: 45 x B: 1080	LMS-50MT-LINEA
24W	SMD	Aluminum Extruded	A: 45 x B: 1200	LMS-50MT-LINEA
CCT		Beam Angle	LED Make	
 3000K				
 4000K				
 5700K				



(Multiple length is also possible)



Watt	LED	Material	Dimension (mm)	Product Code
6W	SMD	Aluminum Extruded	A: 45 x B: 360	LMS-36MT-LINEA-3018
12W	SMD	Aluminum Extruded	A: 45 x B: 600	LMS-36MT-LINEA-3018
15W	SMD	Aluminum Extruded	A: 45 x B: 840	LMS-36MT-LINEA-3018
20W	SMD	Aluminum Extruded	A: 45 x B: 1080	LMS-36MT-LINEA-3018
24W	SMD	Aluminum Extruded	A: 45 x B: 1200	LMS-36MT-LINEA-3018
CCT		Beam Angle	LED Make	
 3000K	 180°			
 4000K				
 5700K				




(Multiple length is also possible)

Watt	LED	Material	Dimension (mm)	Product Code
10W	SMD	Aluminum Extruded	A: 300 B: 300	LMS-MT-LINEA-L
CCT		Beam Angle	LED Make	
3000K				
4000K				
5700K				


Freely
movable




Surface & Suspended Attachments




Watt	LED	Material	Dimension (mm)	Product Code
5W	COB / SMD	Aluminum Extruded	A: 100 x B: 70	LMS-MT-SF-DL
CCT		Beam Angle	LED Make	
3000K		 40° / 120°		
4000K				
5700K				




Watt	LED	Material	Dimension (mm)	Product Code
5W	COB / SMD	Aluminum Extruded	A: 100 x B: 70	LMS-MT-SUS-DL-01
CCT		Beam Angle	LED Make	
 3000K	 40° / 120°			
 4000K				
 5700K				



Watt	LED	Material	Dimension (mm)	Product Code
12W	COB	Aluminum Extruded	A: 30 x B: 300	LMS-MT-SUS-DL-02
15W	COB	Aluminum Extruded	A: 30 x B: 320	LMS-MT-SUS-DL-02
15W	COB	Aluminum Extruded	A: 40 x B: 320	LMS-MT-SUS-DL-02
CCT		Beam Angle	LED Make	
 3000K	 12° / 24° / 36°		  D :-100mm , H:- 105mm	
 4000K				
 5700K				




Watt	LED	Material	Dimension (mm)	Product Code
15W	SMD	Die-Cast Aluminum	A: 150	LMS-MT-MB-PL
30W	SMD	Die-Cast Aluminum	A: 300	LMS-MT-MB-PL
CCT		Beam Angle	LED Make	
3000K		120°	 	
4000K				
5700K				




Watt	LED	Material	Dimension (mm)	Product Code
15W	COB	Die-Cast Aluminum	A: 100 B: 105	LMS-MT-MB-DL
CCT		Beam Angle	LED Make	
3000K		40°	BRIDGELUX OSRAM	
4000K				
5700K				

Decorative Attachments





Suspended / Moveable

Watt	LED	Material	Dimension (mm)	Product Code
5W	SMD	Diffused Acrylic Pipe	A: 35 / 50 x B: 370	LMS-MT-ROUNDO
10W	SMD	Diffused Acrylic Pipe	A: 35 / 50 x B: 600	LMS-MT-ROUNDO
10W	SMD	Diffused Acrylic Pipe	A: 35 / 50 x B: 720	LMS-MT-ROUNDO/PRO
CCT		Beam Angle	LED Make	
3000K		360°	BRIDGELUX OSRAM	
4000K				
5700K				




Watt	LED	Material	Dimension (mm)	Product Code
15W	SMD	Diffused Acrylic Ball	A: 94 x B: 100	LMS-MT-SUS-BALL
12W	COB	Aluminum Dome	A: 170 x B: 210	LMS-MT-SUS-BAY
CCT		Beam Angle	LED Make	
 3000K				
 4000K	270°	60°		
 5700K				


Dali Controller 26mm/28mm/36mm/50mm







For Non Dimming 26mm / 28mm / 36mm / 50mm







For Analog Dimming 26mm / 28mm / 36mm / 50mm









For Dali / Tunable Dimming 26mm / 28mm / 36mm / 50mm




Surface Channel Installation




Suspended Channel Installation




Recessed Channel Installation




Create a Cut Out in Ceiling




Insert power adapter then connect the DC wire of track channel with master driver.




Insert the C-clamp inside the ceiling .



Cover the ceiling screw area & push the track channel into the cut out.




Fix the C-clamp inside the ceiling with the help of screw .




Fix the screw directly with track channel in RCC / Wooden ceiling. Track Channel is Ready To Use


Trimless Channel Installation




Create a Cut Out in Ceiling




Push the overlapping wooden ply into the cut out.




Insert power adapter then connect the DC wire of track channel with master driver & push the track channel into the cut out.



Fix the overlapping wooden ply in the ceiling with the help of screw




Fix the channel inside the ceiling with the help of screw .




Cover the ceiling screw area with POP. & Fixture is ready to use.

Round Corner Track Upcoming




Multiple Combinations




Right angle

combination shape: square, rectangle
D: Angle length 5-10cm
L: Track length can be customized
W: Track length can be customized




Round angle

combination shape: rounded square, rounded rectangle
R: The radius of the outside diameter R size: 5cm, 10cm, 20cm, 30cm, 50cm, 9cm.
L: Track length can be customized
W: Track length can be customized




Round magnetic track are available in different sizes
free combination. Variety of shapes
different installation way according to the installation environment and personal needs.



Round track combination


Sizes of diameter D: 60cm, 90cm, 120cm,
200cm, 250cm, 300cm, 350cm.



Runway type track combination

Sizes of diameter D: 60cm, 90cm, 120cm,
200cm, 250cm, 300cm, 350cm.






Semicircular track combination

Sizes of diameter D:

60cm, 90cm, 120cm, 200cm, 250cm, 300cm, 350cm.



90 degree arc track combination


Sizes of diameter D:

60cm, 90cm, 120cm, 200cm, 250cm, 300cm, 350cm.

Shape Instance

can be more shapes





Decorative illumination

